

Radon Testing

The following summary provides results of radon testing performed at this location.

Room	Start	Stop	Result	Variance	Comment
OFFICE WORK RM	2017-03-27	2017-03-30	4.9	0.4	
MAIN OFFICE	2017-03-27	2017-03-30	5.4	0.5	
GYM STORAGE/ESL	2017-03-27	2017-03-30	2.8	0.3	
PE OFFICE	2017-03-27	2017-03-30	4.0	0.4	
SUN OFFICE	2017-03-27	2017-03-30	3.6	0.4	
PSYCH OFFICE	2017-03-27	2017-03-30	3.6	0.4	
BLANK	2017-03-27	2017-03-30	< 0.3	0.2	
HEALTH	2017-03-27	2017-03-30	4.6	0.4	
COUNSELOR	2017-03-27	2017-03-30	1.7	0.2	
FACULTY LUNCH	2017-03-27	2017-03-30	3.6	0.4	
FS K2	2017-03-27	2017-03-30	1.9	0.3	
SPEECH	2017-03-27	2017-03-30	3.5	0.4	
MUSIC	2017-03-27	2017-03-30	2.1	0.3	
22	2017-03-27	2017-03-30	< 0.3	0.2	
PRINCIPAL	2017-03-27	2017-03-30	3.2	0.4	
21	2017-03-27	2017-03-30	< 0.3	0.1	
WORK RM - DUP.	2017-03-27	2017-03-30	5.0	0.4	
MUSIC/TAMMEN OFF	2017-03-27	2017-03-30	3.8	0.4	

Room	Start	Stop	Result	Variance	Comment
MUSIC/TECH. OFF.	2017-03-27	2017-03-30	2.4	0.3	
MUSIC/DROM OFF.	2017-03-27	2017-03-30	4.7	0.3	
CAFETERIA	2017-03-27	2017-03-30	2.2	0.2	
CAFETERIA-2	2017-03-27	2017-03-30	2.6	0.2	
CUST./MECH.	2017-03-27	2017-03-30	1.7	0.2	
CUST./MECH.-DUP	2017-03-27	2017-03-30	1.9	0.2	
GYM-1	2017-03-27	2017-03-30	2.5	0.2	
GYM-2	2017-03-27	2017-03-30	2.3	0.2	
1	2017-03-27	2017-03-30	1.8	0.2	
2	2017-03-27	2017-03-30	2.0	0.2	
3	2017-03-27	2017-03-30	2.1	0.2	
4	2017-03-27	2017-03-30	2.1	0.2	
5	2017-03-27	2017-03-30	2.6	0.2	
6	2017-03-27	2017-03-30	2.5	0.2	
7	2017-03-27	2017-03-30	2.7	0.2	
8	2017-03-27	2017-03-30	2.4	0.2	
9	2017-03-27	2017-03-30	1.8	0.2	
10	2017-03-27	2017-03-30	2.0	0.2	
11	2017-03-27	2017-03-30	2.3	0.2	
12	2017-03-27	2017-03-30	2.2	0.2	

Room	Start	Stop	Result	Variance	Comment
13	2017-03-27	2017-03-30	2.7	0.2	
14	2017-03-27	2017-03-30	1.6	0.2	
15	2017-03-27	2017-03-30	2.0	0.2	
16	2017-03-27	2017-03-30	2.4	0.2	
17	2017-03-27	2017-03-30	1.9	0.2	
18	2017-03-27	2017-03-30	2.2	0.2	
19	2017-03-27	2017-03-30	2.4	0.2	
20	2017-03-27	2017-03-30	3.0	0.2	
LIBRARY-1	2017-03-27	2017-03-30	4.1	0.3	
LIBRARY-2	2017-03-27	2017-03-30	3.9	0.2	
COMPUTER LAB	2017-03-27	2017-03-30	6.0	0.3	
SPEECH	2017-03-27	2017-03-30	5.4	0.3	
ELD	2017-03-27	2017-03-30	5.9	0.3	